

Safety Data Sheet acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

1 Identification
Product identifier
Trade name: MEMBRANE CLEANER B
Article number: 0654 Application of the substance / the mixture Industrial cleaner Details of the supplier of the safety data sheet Manufacturer / Importer / Supplier: Romaco BV Edisonstraat 11 NL - 3261 LD Oud-Beijerland The Netherlands Tel: +31 186 615244 Fax: +31 186 619385 Email: info@rochem.nl Information department: Last edition of Material Safety Data Sheet on: www.rochem.nl Emergency telephone number: Europe, Middle East & Africa: +44 1865 407333 Americas: +1 215 207 0061 Canada: +1 800 579 7421 (Toll Free) United States: +1 866 928 0789 (Toll Free) East/South East Asia: +65 3158 1412 Australia: +61 18000 74234 (Toll Free) acces from Austalia only
2 Hazard(s) identification Classification of the substance or mixture GHS05 Corrosion
Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Label elements Keep out of reach of children The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms GHS05 Signal word Danger
Hazard-determining components of labeling: nitric acid Phosphoric acid Hazard statements Causes severe skin burns and eye damage. Precautionary statements Do not breathe dusts or mists. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Wash contaminated clothing before reuse. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 3
$\begin{array}{c} 0 \\ 3 \\ 0 \\ \end{array}$ Fire = 0 Reactivity = 0

(Contd. on page 2)

- US



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

(Contd. of page 1)

HMIS-ratings (scale 0 - 4)

HEALTH3FIRE0REACTIVITY0

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients	

Mixtures

Description: Cleansing agent

Dangerous components:

7697-37-2 nitric acid 2.5-10% Oxidizing Liquids 2, H272; Ocrosive to Metals 1, H290; Skin Corrosion 1A, H314; Acute 2.5-10% Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332 2.5-10% 7664-38-2 Phosphoric acid 2.5-10% Skin Corrosion 1B, H314; Acute Toxicity - Oral 4, H302 2.5-10%

4 First-aid measures

Description of first aid measures

General information:

Persons, providing assistance, should avoid exposure and danger for themselves or others. In case of irregular breathing or respiratory arrest provide artificial respiration. Never give anything by mouth to an unconscious person. After inhalation: Remove the victim to fresh air and keep him/her at rest in a position that facilitates breathing. Seek medical treatment in case of complaints. After skin contact: Take off contaminated clothing immediately and wash the skin with plenty of water (possibly showering). If skin irritation continues, consult a doctor. After eye contact: If possible, remove contact lenses. Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor. After ingestion: DO NOT INDUCE VOMITING! Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor. Information for doctor: Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Extinguishing powder, foam or water spray. Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture No further relevant information available.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

US



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

(Contd. of page 2)

Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions: for disposing to sewer: seek approval from Sewer System Operator	
Methods and material for containment and cleaning up:	
Dilute remainder with plenty of water.	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7697-37-2 nitric acid	0.16 p
7664-38-2 Phosphoric acid	3 mg/
PAC-2:	
7697-37-2 nitric acid	24 ppi
7664-38-2 Phosphoric acid	30 mg
PAC-3:	
7697-37-2 nitric acid	92 ppm
	150 mg

7 Handling and storage

Handling:

Precautions for safe handling

Use only in well ventilated areas (eg natural ventilation).

Avoid inhalation of vapors and contact with eyes, skin and clothing.

Store in cool, dry place in tightly closed receptacles.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and tanks: Store only in the original receptacle.

Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Protect from frost.

Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Com	ponents with limit values that require monitoring at the workplace:
7697	-37-2 nitric acid
PEL	Long-term value: 5 mg/m³, 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4
7664	-38-2 Phosphoric acid
PEL	Long-term value: 1 mg/m³
	(Contd. on page 4

Page 3/9



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B (Contd. of page 3) REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ TLV Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ DNELs 7697-37-2 nitric acid Inhalative Acute - local effects 1.3 mg/m3 (Consumer) 2.6 mg/m3 (Worker) 0.65 mg/m3 (Consumer) Long-term - local effects 1.3 mg/m3 (Worker) Long-term - systemic effects Additional information: The lists that were valid during the creation were used as basis. **Exposure controls** Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Not necessary if room is well-ventilated. Protection of hands: Only use chemical-protective gloves with CE-labeling of category III. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves Material of gloves Gloves Neo-Nitrile[™] 300 – AQL or 0.65 (level 3). Thickness-0.35 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material Permeation: Breakthough time > 360 min The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Use safety glasses that meets the requirements of EN 166; latest versions. Body protection: Protective work clothing 9 Physical and chemical properties Information on basic physical and chemical properties **General Information** Appearance: Form: Fluid

Color:ColorlessOdor:CharacteristicpH-value at 20 °C (68 °F):1.5Change in condition
Melting point/Melting range:0 °C (32 °F)
100 °C (212 °F)Flash point:Not applicable.

(Contd. on page 5)

[—] US -



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.041 g/cm³ (8.687 lbs/gal)
Solubility in / Miscibility with Water:	Fully miscible.
Viscosity: Dynamic at 20 °C (68 °F):	2 mPas
Solvent content: Organic solvents: Water: VOC (USA, EPA Method 24/24A	0.0 % 98.3 % 0
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong alkali.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acut	te Toxicity	Estimate)
Oral	LD50	5,640 mg/kg

 Inhalative
 LC50/4 h
 >1,238 mg/l (Rat)

 7697-37-2 nitric acid

 Oral
 LD50
 430 mg/kg (Human)

 Inhalative
 LC50/4 h
 >80 mg/l (Rat) (OECD TG 403)

 7664-38-2 Phosphoric acid

 Oral
 LD50
 1,530 mg/kg (Rat)

 Dermal
 LD50
 2,740 mg/kg (Rabbit)

Inhalative LC50 / 1h 3,846 mg/l (Rat) (OECD TG 403)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Respiratory or skin sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

(Contd. of page 4)



(Contd. of page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/06/2023

RDCHBA

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

•			
Aquatic to:	Aquatic toxicity:		
7697-37-2 ı	7697-37-2 nitric acid		
LC100/96h 3-3.5 mg/l (Fish)			
LC50/96h	>100 mg/l (Fish)		
EC50/48h	180 mg/l (Daphnia Magna)		
EC50/96h	490 mg/l (Daphnia Magna)		
7664-38-2 Phosphoric acid			
LC100/96h	3-3.25 mg/l (Lepomis macrochirus)		
EC50/96h	>100 mg/l (Daphnia Magna)		
 Persistenc	e and degradability No further relevant information available.		
Behavior in	n environmental systems:		
Bioaccum	ulative potential No further relevant information available.		
Mobility in	soil No further relevant information available.		
Additional	ecological information:		
General no	vtes: Water hazard class 1 (Self-assessment): slightly hazardous for water		
Results of	PBT and vPvB assessment		
PBT: Not a	pplicable.		
vPvB: Not	applicable.		
Other adve	erse effects No further relevant information available.		

13 Disposal considerations

Waste treatment methods

Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Packaging can be reused or recycled after cleaning.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, ADR/RID/ADN, IMDG, IATA UN proper shipping name DOT ADR/RID/ADN

IMDG, IATA

UN3264

Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

Transport hazard class(es)

DOT



Class

8 Corrosive substances



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

de name: MEMBRANE CLEANER B	
Label	(Contd. of page
	8
ADR/RID/ADN	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code): EMS Number:	80 F-A.S-B
Segregation groups	г-А,S-D (SGG1) Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOI	L73/78
and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR/RID/ADN	· · · · · · · · · · · · · · · · · · ·
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
-	(NITRIC ACID), 8, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Sara Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7664-38-2 Phosphoric acid

Hazardous Air Pollutants

None of the ingredients is listed.

acc. to OSHA HCS

Printing date 08/06/2023

ROCHEM

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

(Contd.	of page 7)	
---------	------------	--

Proposition 65	(Contd. of p
Chemicals known to	cause cancer:
None of the ingredient	s is listed.
Chemicals known to	cause reproductive toxicity for females:
None of the ingredient	s is listed.
Chemicals known to	cause reproductive toxicity for males:
None of the ingredient	s is listed.
Chemicals known to	cause developmental toxicity:
None of the ingredient	s is listed.
Cancerogenity catego	ories
EPA (Environmental	Protection Agency)
None of the ingredient	s is listed.
TLV (Threshold Limit	t Value)
None of the ingredient	s is listed.
NIOSH-Ca (National I	Institute for Occupational Safety and Health)
None of the ingredient	s is listed.
Hazard pictograms G Signal word Danger	
nitric acid Phosphoric acid Hazard statements Causes severe skin bu Precautionary statem Do not breathe dusts of Wear protective gloves Wash thoroughly after If on skin (or hair): Tak If in eyes: Rinse cautio Immediately call a pois IF INHALED: Remove Wash contaminated cl Specific treatment (see If swallowed: Rinse mo Store locked up. Dispose of contents/co	hents for mists. s/protective clothing/eye protection/face protection. handling. ke off immediately all contaminated clothing. Rinse skin with water/shower. busly with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsi son center/doctor. person to fresh air and keep comfortable for breathing. lothing before reuse.
Other information Relevant phrases H272 May intensify fire H290 May be corrosive H302 Harmful if swallo H314 Causes severe s	e; oxidizer. e to metals.

Department issuing SDS: Environment protection department.

Contact:

Date of previous version 01-03-2020 Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)



acc. to OSHA HCS

Printing date 08/06/2023

Reviewed on 08/06/2023

Trade name: MEMBRANE CLEANER B

(Contd. of page 8) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (Division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit EC50: Effective Concentration, 50 percent IOELVS: Indicative Occupational Exposure Limit Values mPa.s: milliPascal per second Oxidizing Liquids 2: Oxidizing liquids - Category 2 Corrosive to Metals 1: Corrosive to metals - Category 1 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Disclaimer The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to use and handle the product with care and to comply with all applicable laws and regulations. The supplier accepts no liability for direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein.

us